

A WARNING

Read this Guide thoroughly before operation. Keep this User Guide in the vehicle when installed. This User Guide utilizes the following symbols to emphasize particular information:

A WARNING

Indicates a potential hazard, if not avoided, could result in serious injury or death.

ACAUTION Indicates a hazard situation which, if not avoided, could result in minor or moderate injury.

NOTICE Denotes an instruction which, if not followed, could severely damage track kit and/or vehicle components.

All safety documentation should remain with the Apache™ track kit if sold.

All content of the Safety Information section should be interpreted by the reader as a warning which, if not followed, may result in injury including the possibility of death.

In Canada, products are distributed by Bombardier Recreational Products Inc. (BRP).

In USA, products are distributed by BRP US Inc.

The following trademarks are the property of Bombardier Recreational Products Inc.:

Apache™ Can-Am®

INTRODUCTION

WARNING

All safety rules should be followed as per vehicle Operator's Guide, the specific instructions included in this guide should also be observed when using an off-road Can-Am vehicle with an Apache™ Track Kit.

Congratulations on your purchase of your new BRP Apache track kit. It is backed by the BRP warranty and a network of authorized Can-Am dealers ready to provide the parts or service you may require.

It is understood that this User Guide may be translated into another language. In the event of any discrepancy, the English version shall prevail. Throughout this document the masculine is used to denote the masculine or feminine.

If you want to view and/or print an extra copy of your User Guide, simply visit the following website www. operatorsguides.brp.com. Also note that the guide is available in several languages.

The information and components/ system descriptions contained in this document are correct at the time of publication. Bombardier Recreational Products Inc., however, maintains a policy of continuous improvement of its products without imposing upon itself any obligation to install them on products previously manufactured. Due to late changes, some differences between the manufactured product and the descriptions and/or specifications in this guide may occur. BRP reserves the right at any time to discontinue or change specifications, designs, features or equipment without incurring any obligation upon itself.

The illustrations in this document show the typical construction of the different assemblies and may not reproduce the full detail or exact shape of the parts. However, they represent parts that have the same or similar function.

We recommend genuine BRP products for replacement parts. They've been specifically designed and manufactured to meet BRP's demanding standards.

TABLE OF CONTENTS

INTRODUCTION	1
IMPORTANT INFORMATION	4
Track Kit Installation	4
SAFETY INFORMATION	
IMPORTANT WARNINGS	Q
Effects of Track Kit on the Can-Am off-road Vehicle	8
Riding a Can-Am off-road vehicle with a Track Kit	
Track Repairs	10
Track Kit Modifications	10
LOCATION OF THE IMPORTANT LABELS	11
GENERAL INFORMATION	
HOW TO IDENTIFY YOUR TRACK KIT	
EC DECLARATION OF CONFORMITY	15
OPERATING INSTRUCTIONS	16
	16
O	16
Protective Gear	16
MAINTENANCE INFORMATION	
MAINTENANCE SCHEDULE	18
MAINTENANCE PROCEDURES	19
	19
	19
Cleaning, Storage and Preseason Preparation	19
WARRANTY	
BRP LIMITED WARRANTY: APACHE™ OFF-ROAD CAN-AM VEHICLE TRAC	СK
KIT	22
CUSTOMER INFORMATION	
PRIVACY INFORMATION	26
CONTACT US	27
	27
24.000	27
	27
	27
Asia	27

CHANGE OF ADDRESS/OWNERSHIP	28
01.0 til 02 01 7 til 2 til 2007 0 til 12 til 0 til 1 t	

IMPORTANT INFORMATION

Track Kit Installation

Using an Apache track kit on your Can-Am off-road vehicle will change its behavior, particularly in terms of:

- Manoeuvrability
- Traction
- Acceleration
- Braking.

For these reasons, driving an Can-Am off-road vehicle equipped with an Apache track kit requires a certain adaptation period. Familiarize yourself to your Can-Am off-road vehicle with the addition of this kit, in order to learn the new vehicle behaviors in all conditions.

A WARNING

Usage of a track kit will affect the driving behavior of your vehicle. To prevent a loss of control of the Can-Am off-road vehicle:

- Always modulate throttle according to conditions.
- NEVER try to spin the tracks.
 This could cause debris, snow or ice to be thrown backwards or cause a loss of control.

Steering Alignment

Vehicle steering alignment must be adjusted as per the vehicle *ADJUST-MENT INSTRUCTIONS SHEET*, and readjusted to vehicle factory specifications when the kit is removed.

4WD Mode Only

Steering control is reduced in 2WD mode. Always use the Can-Am off-road vehicle in 4WD mode with a track kit.

Towing or Installing an Accessory

Prior to install any accessories (snow plow, bumper extensions or signaling kit for example), make sure there is no possible interference with the tracks.

Riding Surface

Apache 360 and 360 LT track kit give optimal performance and durability on snow. Backcountry models are intended for on snow use only. Usage of other type of terrain will increase wear on track kit components and vehicle.

Speedometer Reading

Can-Am Off-road vehicle Model year 2014 and up

DPS track kit module included with kit correct the speedometer reading and adjust the power steering behavior.

A WARNING

Never ride with DPS track module connected when tires are reinstalled on vehicle. Never ride with the track kit without connecting the DPS module

Regulations

Always check local regulations concerning the use of tracks on your Can-Am off-road vehicle. Always drive your Can-Am off-road vehicle in a responsible manner, respecting the environment and other people's property.

Trail Riding

BRP does not recommend to ride an Can-Am off-road vehicle equipped with a track kit on public trail as it is unlawful in most states or provinces. In the event that you have to, first make sure to verify with your local authorities to confirm that it is allowed, then minimize the distance you ride on the trail, and be thoughtful of other riders and property owners by being careful to avoid damaging the trail. For Backcountry model, when riding on hardened snow surface, anticipate a faster wear of the sliding shoes (check for longer life Can-Am accessories).

CAUTION Sporty driving and quick changes of direction are not advised. These driving styles can cause premature wear and major failures and will not be covered by normal use warranty.

This page is intentionally blank

SAFETY INFORMATION

IMPORTANT WARNINGS

Can-Am OFF-ROAD VEHICLE EQUIPPED WITH AN APACHE TRACK KIT CAN BE HAZARDOUS TO OPERATE.

SEVERE INJURY OR DEATH can result if you do not follow these instructions:

- Read this User Guide and follow the operating procedures described.
- Read the vehicle Operator's Guide and all on-product safety labels carefully and follow the operating procedures described
- If any accessories are installed, make sure to read all on-product safety labels carefully and follow the operating procedures described.

Effects of Track Kit on the Can-Am off-road Vehicle

Vehicle Weight

Vehicle weight is increased, and must be taken into considerations when crossing a bridge or any other situations where the vehicle weight can be a factor. This should also be considered when using lifting equipment to lift vehicle off the ground or transporting your vehicle on a truck or trailer.

Vehicle Width

Total vehicle width is increased because tracks extend beyond vehicle fenders., Additional care must be taken when maneuvering in proximity of obstacles or when crossing a bridge, or any other situations where the vehicle width can be a factor.

Vehicle Height

Vehicle total height is increased and must be taken into considerations in any situations where the vehicle height can be a factor.

Vehicle Towing Capacity

Installation of the track kit DOES NOT increase the vehicle towing capacity.

Vehicle Load Limit

Installation of the track kit DOES NOT increase vehicle load limit.

Vehicle Heat Dissipation

The use of a track kit may increase heat generated by the vehicle in certain conditions:

- Extended deep snow riding
- Extended low speed riding
- Extended plowing
- Extended towing at low speed.

For these severe duty applications, it is recommended to use an off-road Can-Am vehicle heat dissipation kit (if it's not already installed from factory).

Vehicle Air Intake

Pay attention to the vehicle engine and/or CVT air intake to make sure it is clean of any debris/snow accumulation.

Riding a Can-Am off-road vehicle with a Track Kit

Avoid driving on any frozen waterways before checking that the ice will safely support the vehicle, its riders and its load of cargo.

A WARNING

Even if frozen waterways are supporting snowmobiles or other vehicles does not mean your vehicle will be supported. This vehicle is heavier, slower and less maneuverable than a snowmobile.

Crossing Obstacles

Avoid obstacles including rocks and fallen trees whenever possible, also avoid deep and square edged ditch. Remember that some obstacles are too large or dangerous to cross and should be avoided. As a guideline, never attempt to cross an obstacle higher than the center of upper front wheel track. Small rocks or small fallen

trees may be safely crossed - approach obstacle at low speed and as much as possible at a right angle. Adjust speed without losing momentum and do not accelerate abruptly. Passenger must grasp handholds firmly and brace feet on the floor. Be aware that the obstacle may be slippery or may move while crossing.

CAUTION The steering system is strongly sollicitated when crossing obstacles. Therefore, sudden and unpredictable steering jerks may arise when crossing obstacles.

Traction/Acceleration

This track kit will allow your Can-Am off-road vehicle to have better traction and acceleration on soft surfaces. This can cause sudden variations in traction under certain conditions.

A WARNING

Sudden changes on ridden surface conditions will affect traction. You may lose control.

Braking

This track kit will give you better braking on snow but will have no noticeable effect on ice. Braking may thus vary suddenly under certain conditions. Always modulate brakes and be alert for changing conditions to avoid blocking the tracks.

Snow or ice may affect the response time of the brake system of your Can-Am off-road vehicle even with a track kit. In these conditions, apply brakes periodically while riding to break any water, snow or ice film that could develop on brake rotors. This will help keep brake efficiency at its peak.

Depending on the condition, stopping may require more distance than you think. Be prepared for the unexpected. Play it safe.

A WARNING

Blocking the tracks under braking may lead to a loss of control.

Turning

Vehicle steering turning radius is decreased. Adjust your driving accordingly. Never perform sharp turns above 25 km/h (16 MPH), this could result in loss of control or damage to the track kit

Steering control is reduced in 2WD mode. Always use the Can-Am off-road vehicle in 4WD mode with a track kit.

Vehicle Speed

The Can-Am off-road vehicle should be used only at reduced speed. The vehicle handling, stability and braking distance may be affected with the track kit installed. Always adjust speed according to terrain, visibility, operating conditions and your experience.

Snow Plow

If the Can-Am off-road vehicle is also equipped with a snow plow, vehicle speed should not exceed 5 km/h (3 MPH).

Driving in Reverse

Always drive in reverse at reduced speed. Driving in reverse at high speed, especially when going down a hill, could cause the tracks to plunge into the snow or obstacles and cause severe damages to the Can-Am off-road vehicle.

Snow and Ice Conditions

Due to track kit configuration, there is more snow projections when the track kit is installed therefore, action of steering, suspensions and brakes could be affected from ice buildup or snow accumulation. Always perform a pre-operation check BEFORE you turn on the ignition.

Deep Snow

A WARNING

Snow can hide many obstacles.

Riding in deep snow can be hazardous and may hide objects or unexpected terrain.

Vehicle ECO mode

The use of ECO mode is not recommended with tracks.

Jumps

Never attempt jumps or other stunts.

Debris

Projections of debris can be more frequent and severe. Never stands beside or nearby the Can-Am off-road vehicle when in motion. Never ride without proper equipment, including eye protection.

The faster the speed, the more projections there will be. Slow down according to conditions.

NOTE: It is recommended to stop every now and then to clear headlights and taillights of any snow or debris accumulation. Also clear any accumulation near the vehicle controls (brakes, accelerator, steering).

Bystanders

A WARNING

Never allow any persons nearby the Can-Am off-road vehicle when in operation.

Tracks shall not be used as sidesteps. Vehicle movement could cause injury. Tracks exceed width of vehicle fenders and can be hazardous for bystanders. Never allow anyone to push or pull the Can-Am off-road vehicle when the engine is running.

Track Repairs

No repair is allowed on the track. If worn or cut, replace track. See your authorized dealer.


Track Kit Modifications

Do not modify the track kit or install traction enhancing devices such as track studs. Any modifications will void the warranty.


LOCATION OF THE IMPORTANT LABELS

Read and understand all safety labels. These labels are affixed to the tracks for the safety of the operator, passenger or bystanders. The labels should be considered permanent parts of the track kit. If missing or damaged, they can be replaced free of charge. See an authorized Can-Am dealer.

NOTE: In the event of any discrepancy between this guide and the track kit, the safety labels on the track have precedence over the labels in this quide.



TYPICAL - APACHE 360 TRACK ASSEMBLY



TYPICAL - APACHE BACKCOUNTRY TRACK **ASSEMBLY**

Label location




LABEL P/N 704 901 283

LOCATION OF THE IMPORTANT LABELS

This page is intentionally blank


GENERAL INFORMATION

HOW TO IDENTIFY YOUR TRACK KIT



APACHE BACKCOUNTRY - RH FRONT TRACK ASSEMBLY

1. Rating plate




APACHE 360 - RH FRONT TRACK ASSEMBLY
1. Rating plate

Each Apache kit bears identification plates. The identification number will be useful for parts ordering or technical support programs from BRP.

The identification number is also useful if parts are stolen. **Carefully** note all characters in the appropriate spaces in the following image.



These labels indicate the proper location of each track: front left, front right, rear left, rear right. They are visible both on frame and attachments.



EC DECLARATION OF CONFORMITY



<u>DÉCLARATION CE DE CONFORMITÉ DES MACHINES</u> EC DECLARATION OF CONFORMITY OF THE MACHINERY

NOUS SOUCY INTERNATIONAL INC., 5450 ST-ROCK-S, CP400, DRUMMONDVILLE, QC, J2B6W3, CANADA,

DÉCLARONS QUE LES PRODUITS :

- « APACHE BACKCOUNTRY»: 2500450,
- « APACHE 360LT »: 2500451 ET 2500151-60,
- « APACHE 360 »: 2500459

SATISFONT À L'ENSEMBLE DES DISPOSITIONS PERTINENTES DE LA DIRECTIVE : 2006/42/CE

LE 17 JUILLET 2018 À DRUMMONDVILLE,

AU NOM DE SOUCY INTERNATIONAL INC.,

WE SOUCY INTERNATIONAL INC.,

5450 ST-ROCK-S, CP400, DRUMMONDVILLE, QC, J2B6W3, CANADA,

DECLARE THAT THE PRODUCTS:

- « APACHE BACKCOUNTRY » : 2500450,
- « APACHE 360LT »: 2500451 AND 2500151-
- 60, « APACHE 360 »: 2500459

FULFIL ALL THE RELEVANT PROVISIONS OF

THE DIRECTIVE: 2006/42/EC

IN DRUMMONDVILLE ON JULY 17TH 2018.

IN THE NAME OF SOUCY INTERNATIONAL INC.,

Soul Land - hand JERÉMIE AUBIN-MARCHAND ING./ENG.,

219002014-001_a

OPERATING INSTRUCTIONS

Pre-Operation Check

Track Kit Pre-Ride Inspection

WARNING

Riding with a damaged track system could lead to a loss of control.

Visually inspect all track kit components before each ride including:

- Tracks
- Frames
- Wheels
- Etc.

NOTE: Inspect also the track section on the ground. It is required to move the Can-Am off-road vehicle approximately 1 m (40 in).

Verify tracks and idler wheels for free movement.

Verify tracks tension for proper adjustment.

Remove snow and ice build up from:

- Front and rear suspension
- Steering and brake mechanism
- Inside each track assembly
- Radiator fan (if applicable).
- Any exposed moving part such as prop. shaft or half shaft

Track Mounting Kit

Visually inspect the anti-rotation bars, fixation bolts, pivot, spring and rubber of the track mounting kit.

Tools to Bring

Apache Backcountry model: Bring the 30 mm x 1/2" socket, 1/2" socket wrench , 19 mm x 1/2" socket, 1/4" socket wrench , 3" x 1/4" extension, 10 mm x 1/4" socket and a flat screwdriver.

Apache 360 and 360 LT models: Bring the 17 mm wrench, socket wrench with a 17 mm deep socket, flat screwdriver and a spanner wrench for tracks tension and wheels removal.


An axe and a shovel could also be useful.

You should also bring a spare belt as well as the tools needed to replace it.

Protective Gear

Remove mud, snow and ice build up inside each track assembly and under the Can-Am off-road vehicle

A CAUTION Wear appropriate protective gear.



Avoid loose clothing and wear appropriate protective gear for the ride planned or the work to be performed.

MAINTENANCE INFORMATION

MAINTENANCE SCHEDULE

Maintenance is very important for keeping your Apache track kit in safe operating condition. Proper maintenance is the owner's responsibility. The track kit should be serviced as per the maintenance schedule.

The maintenance schedule does not exempt the pre-ride inspection.

A WARNING

Failure to properly maintain the track kit according to the maintenance schedule and procedures can make it unsafe to operate.

PERIODIC MAINTENANCE SCHEDULE									
	AT INSTALLATION (NEW KIT)								
A: Adjust		EVERY RIDE							
C: Clean I: Inspect				EVEF	RY 20	HOURS OF USE			
L: Lubricate					AT S	TORAGE			
					А	T PRESEASON			
PART/TASK						LEGEND			
Tightening torque verification (2)	I, A	1				(1) Must be made weed by			
Tracks condition		I			I	(1) Must be performed by an authorized dealer and			
Tracks tension (2)	I, A	I, A			I, A	must be done at installation and removal of track kit.			
Track tensioner adjustment bolt and lock nut threads			L			(2) When track kit is installed for the			
Anti-rotation bars (track mounting kit)		-				first time (new kit), tightening torque			
Remove packed snow and ice		I, C				of track kit components and tracks tension must be verified after the first kilometer of use.			
Track kit alignment	[(1)			[(1)	[(1)				
Track kit assembly			-	С	Ī				

18 _____

MAINTENANCE PROCEDURES

General

A WARNING

Engine should not be running for all maintenance procedures.

A CAUTION Let engine cooled down prior to undertake maintenance.

A WARNING

Should removal of a locking device (e.g. lock tabs, self-locking fasteners, etc.) be required when undergoing disassembly/assembly, always replace with a new one.

The following covers the maintenance items that can be performed by the customer if desired. Other items found in maintenance schedule must be performed by an authorized Can-Am dealer.

Inspection

Tracks

Inspect tracks condition. If worn or cut, or if track fibers are exposed, replace track. See your authorized dealer.

Cleaning, Storage and Preseason Preparation

Cleaning

NOTICE Never use a high pressure washer to clean track kit. Use low pressure only (like a garden hose). High pressure can cause mechanical damages.

Wash each track assembly with hot water and soap (use only mild detergent).

NOTICE Never clean plastic parts with strong detergent, degreasing agent, paint thinner, acetone etc.

Painted parts which are damaged should be properly repainted to prevent rust.

Storage

NOTICE Always clean up track kit before storage.

NOTICE Tracks assembly has to be stored in a cool and dry place and covered with an opaque tarpaulin. This will prevent sun rays and grime from affecting components durability or finish.

NOTICE If vehicle is to be stored with track kit installed, it is recommended to jack the vehicle by the frame to relieve pressure on the traction lugs.

Preseason Preparation

Refer to an authorized Can-Am dealer.

Proper Recycling

When replacing components or when a track kit comes to its end of useful life, bring components to a recycling facility according to type of material. Follow local regulations for proper disposal.

MAINTENANCE PROCEDURES

This page is intentionally blank

WARRANTY

BRP LIMITED WARRANTY: APACHE™ OFF-ROAD CAN-AM VEHICLE TRACK KIT

1) WARRANTY COVERAGE PERIOD

Bombardier Recreational Products Inc. ("BRP")* warrants from the date of original retail purchase that each genuine Apache™ Can-Am off-road vehicle track kit ("Apache") sold as new and unused and installed by an authorized Can-Am Can-Am off-road vehicle dealer will be free from defects in material or workmanship for a period of:

- 360 and 360 LT track kits: TWENTY-FOUR (24) CONSECUTIVE MONTHS, subject to the conditions described below.
- Backcountry track kits: TWELVE (12) CONSECUTIVE MONTHS, subject to the conditions described below.

The Apache cannot be registered as a genuine accessory and therefore does not carry the same warranty of a Can-Am off-road vehicle.

The repair or replacement of parts or the performance of service under this warranty does not extend the life of this warranty beyond its original expiration date.

2) EXCLUSIONS

The following are not warranted under any circumstances:

- Normal wear and tear items;
- Labor and parts cost of all maintenance and adjustment services;
- Damage caused by failure to provide proper maintenance, as described in the User Guide;
- Damage resulting from removal of parts, improper repairs, service, maintenance, modifications or use of parts not manufactured or approved by BRP or resulting from repairs done by a person that is not an authorized Can-Am dealer;
- Damage resulting from abuse, abnormal use, neglect or operation of the product in a manner inconsistent with the recommended operation described in the User Guide;
- Damage resulting from accident, fire, theft, vandalism or any act of God;
- Incidental or consequential damages or damages of any kind including without limitation towing, storage, telephone, rental, taxi, inconvenience, insurance coverage, loan payments, loss of time, loss of income;
- Damages caused by the Apache being on a vehicle that is not a Can-Am off-road vehicle stated as compatible;
- Damages resulting from traction studs installed in or on the track kit.
- Costs of transportation or shipping incurred in respect of the performance of this warranty.

3) CONDITIONS TO HAVE WARRANTY COVERAGE

This warranty coverage is available **only** if **each** of the following conditions has been fulfilled:

- The Apache must be purchased, by its first owner, as new, unused and installed by a dealer authorized to distribute Apache in the country in which the sale occurred ("Can-Am Off-road vehicle Dealer").
- The BRP specified pre-delivery inspection process must be completed, documented and signed by the purchaser.

- The Apache must have undergone proper warranty registration by an authorized Can-Am off-road vehicle Dealer.
- The Apache must be purchased in the country in which the purchaser resides.
- Routine maintenance must be performed as indicated in the User's Guide. BRP reserves the right to make warranty coverage contingent upon proof of proper maintenance.

BRP will not honor this limited warranty to any private use owner or commercial use owner if one of the preceding conditions has not been met. Such limitations are necessary in order to allow BRP to preserve both the safety of its products, and also that of its consumers and the general public.

4) WHAT TO DO TO OBTAIN WARRANTY COVERAGE

The customer must cease using the Apache upon the appearance of an anomaly. The customer must notify an authorized Can-Am off-road vehicle dealer within three (3) days of the appearance of the defect in material or workmanship and present to the servicing authorized Can-Am dealer a proof of purchase (original invoice or bill of sale) of the new and unused Apache. All parts replaced under this limited warranty become the property of BRP.

5) WHAT BRP WILL DO?

BRP's obligations under this warranty are limited to, at its sole discretion, repairing parts found defective under normal use, maintenance and service, or replacing such parts with new genuine BRP parts without charge for parts, at any authorized Can-Am dealer. BRP reserves the right to improve or modify products from time to time without assuming any obligation to modify products previously manufactured.

6) LIMITATIONS OF LIABILITY

THIS WARRANTY IS EXPRESSLY GIVEN AND ACCEPTED IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT THAT THEY CANNOT BE DISCLAIMED, THE IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIFE OF THE EXPRESS WARRANTY. INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE EXCLUDED FROM COVERAGE UNDER THIS WARRANTY. SOME STATES/PROVINCES DO NOT ALLOW FOR THE DISCLAIMERS, LIMITATIONS AND EXCLUSIONS IDENTIFIED ABOVE, AS A RESULT, THEY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH MAY VARY FROM STATE TO STATE, OR PROVINCE TO PROVINCE.

Neither the distributor, any BRP dealer nor any other person has been authorized to make any affirmation, representation or warranty regarding the product, other than those contained in this limited warranty, and if made, shall not be enforceable against BRP.

BRP reserves the right to modify this warranty at any time, being understood that such modification will not alter the warranty conditions applicable to the products sold while this warranty is in effect.

7) CONSUMER ASSISTANCE

In the event of a controversy or a dispute in connection with this limited warranty, BRP suggests that you try to resolve the issue at the dealership level. We recommend discussing the issue with the authorized dealer's service manager or owner.

If the matter still remains unresolved, contact BRP by filling out the customer contact form at www.brp.com or contact BRP by mail at one of the addresses listed under the *CONTACT US* section of this guide.

^{*} In the USA, products are distributed and serviced by BRP US Inc.

^{© 2018} Bombardier Recreational Products Inc. All rights reserved.

[®] Registered trademark and TM trademark of Bombardier Recreational Products Inc. or its affiliates.

CUSTOMER INFORMATION

PRIVACY INFORMATION

BRP wishes to inform you that your coordinates will be used for safety and warranty related purposes. Furthermore, BRP and its affiliates may use its customer list to distribute marketing and promotional information about BRP and related products.

To exercise your right to consult or correct your data, or to be removed from the addressee-list for direct marketing, please contact BRP.

By E-mail: privacyofficer@brp.com

By mail: BRP

Senior Legal Counsel-Privacy Officer

726 St-Joseph Valcourt QC Canada J0E 2L0

CONTACT US

www.brp.com

North America

565 de la Montagne Street Valcourt (Québec) J0E 2L0 Canada

Sturtevant, Wisconsin, U.S.A. 10101 Science Drive Sturtevant, Wisconsin 53177 U.S.A.

Sa De Cv, Av. Ferrocarril 202 Parque Ind. Querétaro, Lote2-B 76220 Santa Rosa Jáurequi, Qro., Mexico

Europe

Skaldenstraat 125 B-9042 Gent Belgium

Itterpark 11 D-40724 Hilden Germany

ARTEPARC Bâtiment B Route de la côte d'Azur, Le Canet 13590 Meyreuil France

Ingvald Ystgaardsvei 15 N-7484 Trondeim Norway

Isoaavantie 7 PL 8040 96101 Rovaniemi

Formvägen 16 S-906 21 Umeå Sweden

Avenue d'Ouchy 4-6 1006 Lausanne Switzerland

Oceania

6 Lord Street Lakes Business Park Botany, NSW 2019 Australia

South America

Rua James Clerck Maxwell, 230 TechnoPark Campinas SP 13069-380 Brazil

Asia

15/F Parale Mitsui Building,8 Higashida-Cho, Kawasaki-ku Kawasaki 210-0005 Japan

Room Dubai, level 12, Platinum Tower 233 Tai Cang Road Xintiandi, Lu Wan District Shanghai 200020 PR China

CHANGE OF ADDRESS/OWNERSHIP

If your address has changed or if you are the new owner of the Apache™ track kit, be sure to notify BRP by either:

- Notifying an authorized Can-Am dealer.
- North America Only: calling at 1 888 272-9222.
- Mailing one of the change of address cards on the following pages at one of the BRP addresses indicated in the CONTACT US section of this guide.

You will find your distributor's coordinates on www.brp.com.

In case of change of ownership, please join a proof that the former owner agreed to the transfer.

Notifying BRP, even after the expiration of the limited warranty, is very important as it enables BRP to reach the ApacheTM track kit owner if necessary, like when safety recalls are initiated. It is the owner's responsibility to notify BRP.

STOLEN UNITS: If your personal Apache™ track kit is stolen, you should notify BRP or an authorized Can-Am dealer. We will ask you to provide your name, address, phone number, the Apache™ track kit identification number and the date it was stolen.

You are required to keep this operator's guide for the entire useful life of this track kit. It is your responsibility to transfer this guide to the next owner.

CHANGE OF ADDRESS 🔲	CH	8	
TRACK KIT SERIAL NUMBER	1 1 1	I	
Track Kit Serial Number			
OLD ADDRESS OR PREVIOUS OWNER:		NAME	
	NO.	STREET	APT
	CITY	STATE/PROVINCE	ZIP/POSTAL CODE
	COUNTRY		TELEPHONE
NEW ADDRESS OR NEW OWNER:		NAME	
	NO.	STREET	APT
	CITY	STATE/PROVINCE	ZIP/POSTAL CODE
	COUNTRY		TELEPHONE
tmo2014-012_007	E-MAIL ADDRE	ss	
CHANGE OF ADDRESS	CH	IANGE OF OWNERSHIP	
CHANGE OF ADDRESS TRACK KIT SERIAL NUMBER	CH	HANGE OF OWNERSHIP	
	CH	HANGE OF OWNERSHIP	
TRACK KIT SERIAL NUMBER	C+	HANGE OF OWNERSHIP	
TRACK KIT SERIAL NUMBER	C+	HANGE OF OWNERSHIP	
TRACK KIT SERIAL NUMBER	CH	HANGE OF OWNERSHIP	
TRACK KIT SERIAL NUMBER	CH	 	APT
TRACK KIT SERIAL NUMBER		NAME STREET	
TRACK KIT SERIAL NUMBER	NO.	NAME	ZIP/POSTAL CODE
TRACK KIT SERIAL NUMBER		NAME STREET	
TRACK KIT SERIAL NUMBER	NO.	NAME STREET	ZIP/POSTAL CODE
TRACK KIT SERIAL NUMBER	NO.	NAME STREET STATE/PROVINCE	ZIP/POSTAL CODE
TRACK KIT SERIAL NUMBER	NO. CITY COUNTRY	NAME STREET STATE/PROVINCE	ZIP/POSTAL CODE TELEPHONE
TRACK KIT SERIAL NUMBER	NO. CITY COUNTRY NO.	NAME STREET STATE/PROVINCE NAME STREET	ZIP/POSTAL CODE TELEPHONE APT

CHANGE OF ADDRESS/OWNERSHIP

This page is intentionally blank

NOTES		
-		

CHANGE OF ADDRESS/OWNERSHIP