



ski-doo LYNX SEADOO Can-am ROTAX ALUMACraft MANITOULI QUINTREX



LAMPE UTILITAIRE DEL

GUIDE D'INSTALLATION RAPIDE

REMOVING THE NECK CURTAIN / NECK ROLL

1. Place your helmet upside down on a flat surface on soft cloth.
2. Start from the front of the helmet and gently pull on the neck curtain / neck roll toward the center of the helmet.




3. Slide out the neck curtain / neck roll from the rear helmet portion.




REMOVING THE REAR TRIM

4. Using either marking on the rear trim, push the trim away from the helmet by pressing directly on the trim.




REMOVING THE ACCESSORIES COVERS

5. Remove the right accessories cover by pulling it away from the helmet.




INSTALLING THE UTILITY LIGHT

6. Pass the wire sideways into the slot and magnetically clip the utility light.



OPTION 1: EQUIPPED WITH A VIBE

1.1. Connect the light cable to Vibe cable on the right side of the main unit.




OPTION 2: USING AAA BATTERY

2.1. Install AAA battery in the housing.




REMOVING THE EPS


2.2. Remove the EPS piece (foam) located under the trim.



2.3. Install the battery housing in the helmet.



2.4. Connect the utility light cable to the battery cable.



CABLE MANAGEMENT

7. Place the connectors and cables in the cavity next to the battery housing.




INSTALLING THE NECK CURTAIN / NECK ROLL

8. Align each of the 6 "snaps" with the triangle on the trim and press one by one to be sure each one is engaged in the plastic housing.



INSTALLING THE REAR TRIM

9. Reposition the trim onto the helmet so that it snaps magnetically in place. Make sure that the neck curtain / neck roll is properly placed under the trim.



NOTICE


Do not carry or hold the helmet by the chin curtain. The chin curtain may come off, causing the helmet to drop.

NOTICE

Do not pull directly on the electrical wires, you could damage them.

OPERATING INSTRUCTIONS

1. To turn ON the light, open the utility lamp using the tab below.



2. To turn OFF the light, simply fold down the utility lamp.

